



SOLUCIONES PARA EDIFICIOS SOSTENIBLES Y BONO VERDE



Luminarias **LED** para edificaciones que requieren Ficha Técnica y Certificaciones

SPOTS EMPOTRADOS LED

Ø: 110 H: 36 mm CE	L: 105 W: 105 H: 44 mm CE	Ø: 105 H: 45 mm CE	Ø: 60 H: 30 mm CE	L: 100 W: 100 H: 40 mm Ø: 100 H: 40 mm CE	Ø: 103 H: 90.7 mm CE
AL + PC 9W 30K 720 lm ○ 145947 9W 60K 740 lm ○ 145948 9W 30K 720 lm ● 145949 9W 60K 740 lm ● 145950	AL + PC 9W 30K 550 lm 144698 9W 60K 580 lm 144699	AL + PC 5W 30K 400 lm 145277 5W 60K 425 lm 145278 7W 30K 550 lm 144637 7W 60K 580 lm 144643 10W 30K 850 lm 145230 10W 60K 880 lm 145231	PC 3W 30K 280 lm 144621 3W 60K 300 lm 144642	AL + GLA 6W 30K 540 lm 133217 6W 30K 540 lm 142942	PA 9W 30K 480 lm 146168 9W 30K 600 lm 146169

SPOTS EMPOTRADOS GU10

SPOT HERMÉTICO

Ø: 82 H: 23 mm CE	Ø: 82 H: 35 mm CE	Ø: 92 H: 25 mm CE	Ø: 96 H: 113 mm Ø: 96 H: 145 mm RoHS	L: 95 W: 95 H: 130 mm RoHS
AL 1xGU10 MÁX. 50W 144736	AL 1xGU10 MÁX. 50W 144732	AL 1xGU10 MÁX. 50W 144734	AL 1xGU10 SIMÉTRICO MÁX. 50W 145346 1xGU10 ASIMÉTRICO MÁX. 50W 145347 ARKOSLIGHT	AL+GLA 1xGU10 WIN MÁX. 50W 143678 ARKOSLIGHT

DOWNLIGHTS EMPOTRADOS LED

Ø: 110 H: 60 mm CE	Ø: 150 H: 60 mm Ø: 200 H: 60 mm Ø: 230 H: 60 mm CE	Ø: 220 H: 18 mm CE RoHS	Ø: 223 H: 20 mm CE	Ø: 190 H: 91 mm CE
AL 7W 30K 600 lm 144545	PC 15W 30K 1150 lm 144703 15W 40K 1200 lm 143796 25W 30K 2050 lm 145381 25W 40K 2150 lm 144704 30W 30K 2350 lm 143314 30W 40K 2400 lm 143391	AL 18W 60K 1440 lm 145895/145802	AL 18W 30K 1480 lm 144933	PC 20W 60K 1800 lm 144808

DOWNLIGHTS ADOSADOS LED

L: 220 W: 295 H: 38 mm L: 295 W: 295 H: 38 mm CE	Ø: 120 H: 32 mm Ø: 170 H: 32 mm Ø: 220 H: 32 mm Ø: 295 H: 32 mm CE	Ø: 120 H: 32 mm Ø: 165 H: 28 mm CE	Ø: 210 H: 28 mm Ø: 285 H: 28 mm CE	Ø: 147 H: 120 mm Ø: 176 H: 130 mm Ø: 231 H: 160 mm CE 3 LUCES	Ø: 295 H: 32 mm CE						
AL 18W 30K 1420 lm 145125 18W 60K 1440 lm 144939 24W 40K 1910 lm 144932 24W 60K 1920 lm 144875	AL 6W 30K 480 lm 144936 6W 60K 500 lm 144937 12W 30K 880 lm 145116 12W 60K 900 lm 144790 18W 30K 1420 lm 144876 18W 40K 1430 lm 144877 18W 60K 1440 lm 144791 24W 30K 1900 lm 144879 24W 40K 1910 lm 145592 24W 60K 1920 lm 144880	AL + PC 6W 30K 470 lm ○ 145886 6W 60K 480 lm ○ 145887 6W 30K 470 lm ● 145881 6W 60K 480 lm ● 145882 12W 30K 930 lm ○ 145888 12W 60K 960 lm ○ 145889	AL + PC 18W 30K 1400 lm 145890 18W 40K 1415 lm 146003 18W 60K 1435 lm 145883 24W 30K 1870 lm 145884 24W 40K 1890 lm 145885 24W 60K 1920 lm 145891	AL + MT 15W 30-40-60K 1200 lm 145908 20W 30-40-60K 1640 lm 145909 35W 30-40-60K 2870 lm 145910	AL + PC 24W 60K 1920 lm ● 145642 24W 30K 1870 lm ● 145645 24W 60K 1920 lm ● 145644 24W 60K 1920 lm ● 145643						
<table border="1"> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td>Opción 1 Luz Amarilla</td> <td>Opción 2 Luz Día</td> <td>Opción 3 Luz Blanca</td> </tr> </table>									Opción 1 Luz Amarilla	Opción 2 Luz Día	Opción 3 Luz Blanca
Opción 1 Luz Amarilla	Opción 2 Luz Día	Opción 3 Luz Blanca									

DOWNLIGHTS ADOSADOS LED

	L: 160 W: 160 H: 28 mm L: 285 W: 285 H: 28 mm			L: 170 W: 170 H: 32 mm L: 224 W: 224 H: 32 mm L: 290 W: 290 H: 32 mm			Ø: 115 H: 28 mm Ø: 165 H: 28 mm				Ø: 210 H: 28 mm Ø: 285 H: 28 mm				Ø: 120 H: 23 mm Ø: 145 H: 23 mm Ø: 190 H: 23 mm			Ø: 145 H: 40 mm Ø: 192 H: 40 mm Ø: 240 H: 40 mm			
AL			AL			AL+ABS		AL+ABS		AL+PC			AL								
12W 60K 960 lm 145892 24W 60K 1920 lm 145893			12W 60K 900 lm 144938 18W 30K 1420 lm 145125 18W 60K 1440 lm 144939 24W 40K 1920 lm 144932			6W 30K 470 lm 145886 6W 60K 480 lm 145887 12W 30K 930 lm 145888 12W 60K 960 lm 145889		18W 30K 1400 lm 145890 18W 40K 1415 lm 146003/145825 18W 60K 1435 lm 145883 24W 30K 1870 lm 145884/146091 24W 40K 1890 lm 145885 24W 60K 1920 lm 145891/145800		12W SLIM 30K 940 lm 145359 12W SLIM 60K 960 lm 145360 18W SLIM 30K 1430 lm 145361 18W SLIM 60K 1450 lm 145362 24W SLIM 30K 1930 lm 145363 24W SLIM 40K 1950 lm 145559 24W SLIM 60K 1960 lm 145364			8W 30K / 60K 145257 15W 30K / 60K 145258 22W 30K / 60K 145259								

PLAFONES LED IP65

	Ø: 221 H: 72 mm						Ø: 167 H: 60 mm Ø: 221 H: 72 mm					Ø: 226 H: 72 mm					Ø: 226 H: 72 mm			
AL+PC			AL+PC			AL+PC		AL+PC		AL+PC		AL+PC		AL+PC		AL+PC		AL+PC		AL+PC
20W 60K 1800 lm 145367 SENSOR MOV			15W 30K 1400 lm 143666 15W 60K 1480 lm 143551 20W 30K 1750 lm 144623 20W 60K 1800 lm 144622			20W 30K 1750 lm 145647 20W 60K 1800 lm 145417		20W 30K 1750 lm 145649 20W 60K 1800 lm 145648		20W 60K 1800 lm 145650										

PLAFONES LED

	Ø: 300 H: 78 mm					Ø: 300 H: 78 mm					Ø: 300 H: 78 mm						L: 450 W: 450 H: 90 mm			
AL+PC			AL+PC		AL+PC		AL+PC		ACE+PC		MT									
30W 30K 2650 lm 144696 30W 60K 2700 lm 144697			30W 30K 2650 lm 145652 30W 60K 2700 lm 145651			30W 30-40-60K 2700 lm 145702		10W 30K 900 lm 143004 10W 60K 960 lm 143392		30W 30K / 60K 145208										

PANELES EMPOTRADOS LED

	L: 595 W: 595 H: 96 mm				L: 595 W: 595 H: 85 mm				L: 595 W: 595 H: 10 mm					L: 595 W: 595 H: 30 mm			
AL			AL		AL+PC		AL		AL								
40W 40K 4200 lm 144706			48W 40K 3450 lm 144272 48W 60K 3500 lm 144273		40W 60K 4000 lm 146056		40W 40K 4000 lm 145394 DIM 0/1-10V UGR										

PANELES EMPOTRADOS LED



AL
48W 40K 3800 lm 145640
48W 60K 3850 lm 145641
45W 60K 3300 lm 144480



AL
72W 40K 5950 lm 144668

PANELES ADOSADOS LED



AL
48W 40K 3950 lm 145313
48W 60K 4000 lm 145299



AL
48W 60K 4000 lm 145298




AL
48W 40K 3950 lm 145312
48W 60K 4000 lm 145297

ARTERFACTOS LED



ACE
18W 60K 1600 lm 143844
18W 60K 1400 lm 144810





AL
40W 40K 4000 lm 145646



AL
40W 40K 4400 lm 145302
CON DIFUSOR
40W 40K 3600 lm 145705
CON DIFUSOR

LINEALES BLOCK LED



AL
32W 30K-40K-60K 2880 lm 145853
48W 40K 4460 lm 145852

BAÑADOR EMPOTRADO LED



AL
15W 30K 1275 lm 145048

LINEAL EMPOTRADO LED



AL
40W 40K 4000 lm 145270

ARTERFACTOS HERMÉTICOS LED IP65



PC + ABS
48W 60K 4000 lm 145791



PC + ABS
48W 60K 4000 lm 145790




PC + ABS
36W 40K 3500 lm 145940
INC TUBOS
36W 60K 3500 lm 145804
INC TUBOS




PC
40W 40K 3600 lm 145628
SENS MOVIMIENTO
40W 40K 3600 lm 145629
SENS MOVIMIENTO
+ LUZ EMERGENCIA

LUMINARIAS DE TECHO





AL + ACR
36W 30K 2380 lm 143604



AL
1x E27 MÁX 60W ○ 145872
1x E27 MÁX 60W ● 145871



PC
4x 15W 30K 6600 lm 145187



AL
30W 30K 1800 lm 145653

LUMINARIAS SUSPENDIDAS LED

 Ø: 150 W: 150 H: 1200 mm 	 Ø: 41 L: 137 H: 1200 mm 	 Ø: 80 L: 190 mm H: Regulable 	 Ø: 80 L: 190 mm H: Regulable 	 Ø: 80 L: 138 mm H: Regulable 
				
AL + ACR 7W 30K 455 lm ○ 145654 7W 30K 455 lm ● 145768 7W 30K 455 lm ● 145769	AL + ACR 7W 30K 420 lm ● 145655 7W 30K 420 lm ○ 145656 7W 30K 420 lm ● 145657	AL + PC 25W 30K 2000 lm 30° 145288	AL + PC 16W 30K 1450 lm 30° 145571	AL + PC 22W 40K 1760 lm 30° 145287

APLIQUES INTERIORES LED

 Ø: 90 L: 90 W: 90 H: 130 mm L: 250 W: 70 H: 130 mm L: 400 W: 70 H: 130 mm  	 L: 200 W: 60 H: 110 mm  	 L: 250 W: 70 H: 93 mm  	 L: 135 W: 135 H: 50 mm  	 L: 100 W: 60 H: 180 mm 
				
AL + MT + ACR 4.5W 30K 350lm 144972 9W 30K 700lm 144973 13.5W 30K 1050lm 144974	AL + MT 6W 30K 450lm 144969	AL + MT 6W 30K 420lm 144971	AL + MT 6W 30K 450lm 144968	AL 5W 30K 450 lm ○ 145836 5W 30K 450 lm ● 145837

  L: 75 W: 95 H: 180 mm 	 L: 155 H: 160 mm 	 L: 120 W: 108 H: 120 mm 	 Ø: 130 W: 200 H: 140 mm 	 L: 285 W: 90 H: 15 mm 
				
AL + MT 3W 30K 280 lm 145834	AL + MT 3W 30K 280 lm 145835	AL + MT 2x3W 27K 2x230 lm 145839	AL + MT + TL 5W 30K 450 lm 145833	AL + ACR 8W 30K 480 lm 145658

APLIQUES INTERIORES

 L: 290 W: 230 H: 280 mm 	 Ø: 220 W: 270 H: 280 mm 	 Ø: 220 W: 270 H: 315 mm 	 Ø: 220 W: 250 H: 265 mm 
			
AL + MT + TL 1xE27 MÁX 60W 145830	AL + MT + TL 1xE27 MÁX 60W 145831	AL + MT + TL 1xE27+3W MÁX 60W+30K 280 lm 145832	AL + MT + TL 1xE27 MÁX 60W 145843

APLIQUES EXTERIORES LED

 <p>L: 100 W: 90 H: 90 mm CE IP54</p> <p>AL 6W 30K 160 lm 118586</p>	 <p>L: 83 W: 123 H: 30 mm CE IP65</p> <p>PC 4W 30K 160 lm ○ 145634 4W 30K 160 lm ● 145635</p>	 <p>L: 100 W: 100 H: 100 mm CE IP65</p> <p>AL 6W 30K 360 lm ○ 145636 6W 30K 360 lm ● 145637</p>	 <p>L: 140 W: 140 H: 50 mm CE IP54</p> <p>AL 6W 30K 420 lm 143937</p>	 <p>L: 270 W: 140 H: 94 mm CE IP65</p> <p>PC 30W 30K 2600 lm ○ 145137 30W 60K 2700 lm ○ 145136 30W 30K 2600 lm ● 145135 30W 60K 2700 lm ● 145134</p>
--	--	--	--	---

 <p>Ø: 225 H: 76 mm CE IP65</p> <p>PC 20W 30K 1750 lm 144307</p>	 <p>L: 271 W: 146 mm CE IP65</p> <p>PC 20W 30K 1750 lm 144806 20W 60K 1800 lm 144807</p>	 <p>L: 300 W: 150 H: 86 mm CE IP65 SENSOR</p> <p>PC 20W 60K 1500 lm 146132</p>	 <p>L: 296 W: 146 mm CE IP65</p> <p>PC 20W 30K 1750 lm 144804 20W 60K 1800 lm 144805</p>	 <p>L: 215 W: 115 H: 70 mm L: 271 W: 146 H: 76 mm CE IP65</p> <p>PC 15W 60K 1480 lm 143552 20W 30K 1750 lm 144624 20W 60K 1800 lm 144625</p>	 <p>L: 230 W: 110 H: 76 mm CE IP65</p> <p>PC 12W 60K 600 lm 145319</p>
--	--	---	--	---	---

 <p>L: 230 W: 110 H: 76 mm CE IP65</p> <p>PC 12W 30K 550 lm 145320</p>	 <p>L: 212 W: 176 H: 118 mm CE IP54</p> <p>AL 9W 30K 833 lm 145243</p>	 <p>L: 160 W: 130 H: 108 mm CE IP65</p> <p>PC 12W 30K 900 lm 145322</p>	 <p>Ø: 56 L: 145 W: 120 mm CE IP65</p> <p>ABS 6W 30K 480 lm 145355</p>	 <p>L: 148 W: 284 H: 98 mm CE IP54</p> <p>AL 2xE27 MÁX. 20W 118592</p>	 <p>Ø: 118 H: 170 mm CE IP44</p> <p>AL + GLA 1xGU10 MÁX. 35W 145939</p>
---	--	---	--	--	---

LUCES GUÍA LED

 <p>L: 111 W: 44 H: 78 mm CE IP54</p> <p>AL 2W 30K 120 lm 144022</p>	 <p>L: 80 W: 80 H: 61 mm CE IP65</p> <p>AL + PC 2W 30K 90 lm 145324</p>	 <p>L: 195 W: 165 H: 63 mm CE IP20 RoHS</p> <p>AL 3W 30K 90 lm 145034</p>	 <p>Ø: 70 H: 60 mm CE IP20</p> <p>PC 3W 30K 60 lm 145033</p>	 <p>Ø: 115 H: 106 mm CE IP54</p> <p>AL 3W 30K 96 lm ● 145242 3W 30K 96 lm ○ 145092</p>	 <p>L: 90 W: 60 H: 38 mm CE IP54</p> <p>AL 2W 30K 130 lm 118595</p>	 <p>L: 195 W: 165 H: 63 mm CE IP65</p> <p>AL 3W 30K 256 lm 145090</p>
---	---	---	--	--	---	---

CAMPANA INDUSTRIAL LED

 Ø: 345 H: 126.6 mm 



AL
200W 60K 20000 lm 146116

LUMINARIAS URBANAS LED

 L: 380 W: 156 H: 70 mm 





AL
40W 30K 4000 lm 145916
60W 40K 6000 lm 145900

EMBUTIDOS DE PISO LED

 Ø: 180 H: 120 mm 



AL
15W 30K 1200 lm 144778
15W 40K 1250 lm 144688

 Ø: 120 H: 70 mm 



AL
3W 30K 240 lm 84726
3W 40K 250 lm 144689



POSTE LED

 L: 900 W: 176 H: 118 mm 



AL
9W 30K 833 lm 145244



POSTE E27

 Ø: 75 H: 1100 mm 



AL
1xE27 MÁX. 40W 81495

ESTACAS LED

 Ø: 130 H: 625 mm 



ABS
4.5W 27K 292lm 145929

ESTACAS

 Ø: 92 H: 352 mm 




PC
1xGU10 MÁX. 50W 16780

REFLECTORES LED

 L: 190 W: 135 H: 25 mm 



AL
30W 60K 3000 145307

 L: 231 W: 160 H: 31 mm 



AL
50W 30K 4900 lm 145566
50W 60K 5000 lm 145311

 L: 180 W: 130 H: 32 mm 



AL
30W 60K 2700 lm 145111

 L: 215 W: 156 H: 35 mm 



AL
50W 30K 4400 lm 145168
50W 60K 4500 lm 145112

 L: 254 W: 246 H: 91 mm 




AL
50W 60K 5000 lm 145593

 L: 300 W: 260 H: 91 mm 





AL
100W 60K 10000 lm 145114

 L: 360 W: 312 H: 94 mm 





AL
150W 60K 15000 lm 145418

 L: 480 W: 360 H: 100 mm 





AL
200W 60K 20000 lm 145286

 L: 360 W: 381 H: 625 mm 



AL
300W 60K 30000 lm 146114

 L: 720 W: 214 H: 480 mm 



AL
400W 60K 40000 lm 146115

LUMINARIA DE SALIDA LED

L: 376 W: 2095 H: 45 mm



AL + ACR
1W 59888

LUMINARIAS DE EMERGENCIA LED

L: 255 W: 90 H: 50,4 mm



ABS
3W 75K 90 lm 146126

L: 351 W: 117 H: 78,3 mm



ABS + PC
3W 75K 128 lm 146230

L: 260 W: 105 H: 59 mm



ABS + PC
2x1.2W 65K 180 lm 145964

L: 208 W: 215 H: 50 mm



ABS
2x3W 75K 360 lm 146125

Ø: 141 H: 24 mm



ABS
5W 75K 500 lm 146127

GU10 LED

H: 52 Ø: 50 mm



PC
6W 30K 430 lm 144063
6W 60K 450 lm 144064
8W 30K 850 lm 146166
8W 60K 900 lm 146167

H: 52 Ø: 50 mm



8W COB DIM 30K 580 lm 145383

GU5.3 LED

H: 42 Ø: 50 mm



PC
6W 30K 430 lm 143635
6W 60K 450 lm 143479

TUBO LED

H: 603 Ø: 28 mm
H: 1212 Ø: 28 mm



PC
T8 10W 40K 800 lm 144826
T8 10W 60K 900 lm 144827
T8 20W 40K 1650 lm 144828

A60 LED

H: 109 Ø: 60 mm



PC
10W 30K 880 lm 144317
10W 60K 900 lm 144318

GLOBO LED

H: 109 Ø: 80 mm
H: 125 Ø: 90 mm
H: 162 Ø: 126 mm



PC
8W 30K 750 lm 144402
8W 60K 800 lm 144403
12W 30K 1100 lm 133222
12W 60K 1200 lm 133221
18W 30K 1400 lm 143869
18W 60K 1500 lm 143870

UFO LED

H: 76 Ø: 143 mm
H: 101 Ø: 201 mm
H: 120 Ø: 292 mm



PC
15W 30K 1350 lm 146007
15W 60K 1400 lm 146008
20W 30K 1850 lm 146009
20W 60K 1900 lm 146010
30W 30K 2750 lm 146011
30W 60K 2800 lm 146012

CUBO LED

L: 85 W: 85 H: 107 mm
L: 95 W: 95 H: 122 mm



PC
18W 30K 1580 lm 145621
18W 60K 1620 lm 145622
28W 60K 2520 lm 145623

HIGH POWER LED

H: 183 Ø: 100 mm
H: 230 Ø: 135 mm



AL
26W 65K 2560 lm 145917
45W 65K 4300 lm 145918

DECO LED

H: 134 Ø: 95 mm
H: 172 Ø: 125 mm



GLA
G125 6W 27K 600 lm 144475
G95 6W 27K 600 lm 144474

H: 109 Ø: 60 mm
H: 137 Ø: 64 mm
H: 85 Ø: 32 mm



GLA
A60 6W 27K 600 lm 144472
ST64 6W 27K 400 lm 144473
G35 4W 27K 600 lm 144471

TIRA LED

L: 5000 W: 12 H: 55 mm



RS
72W 30K 300 lm/m 84706